

SAFETY DATA SHEET CARTER SG 460

SDS #: 082435

Section 1. Identification

Product identifier : CARTER SG 460

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial gear oil

Supplier's details :

▼otalEnergies Marketing Asia-Pacific Middle East Pte. Ltd.

182 Cecil Street #27-01 Frasers Tower Singapore 069547 Tel: +65 6879 2200

ms.ap-sds@totalenergies.com

See section 16 to have the contact details of the local supplier

Emergency telephone number (with hours of

operation)

Asia-Pacific: +65 3158 1074

Section 2. Hazards identification

Classification of the substance or mixture

: Not classified.

GHS label elements, including precautionary statements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Other hazards which do not : None known.

result in classification

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Date of revision : 2023/03/07 Singapore ENGLISH Version : 1.01 1/13



SDS#:

082435

Ingredient name	% (w/w)	CAS number
B enzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	<3	68411-46-1
2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide	<1	83547-95-9
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	≤1	192268-65-8
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	≤0.3	-
(Z)-octadec-9-enylamine	≤0.1	112-90-3

Additional information : The product is made from synthetic base oils

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Chemical formula : Not applicable.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be

kept under medical surveillance for 48 hours.

: Flush contaminated skin with plenty of water. Remove contaminated clothing and Skin contact

shoes. Get medical attention if symptoms occur.

person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

: Mash out mouth with water. If material has been swallowed and the exposed

occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Ingestion

Eye contact : No known significant effects or critical hazards. : No known significant effects or critical hazards. Inhalation Skin contact : No known significant effects or critical hazards. : No known significant effects or critical hazards. Ingestion

Over-exposure signs/symptoms

Eye contact : No specific data. **Inhalation** : No specific data. **Skin contact** : No specific data. Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. Notes to physician

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Date of revision : 2023/03/07 **ENGLISH** Version : 1.01 Singapore



SDS #: 082435

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use dry chemical, CO2, water spray (fog) or foam.

Unsuitable extinguishing media

: Do not use water jet.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: carbon monoxide carbon dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of revision : 2023/03/07 Singapore **ENGLISH** Version : 1.01



SDS #: 082435

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Advice on general occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Senzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	ACGIH TLV (United States). TWA: 3 mg/m³ Form: Respirable dust TWA: 10 mg/m³ Form: Total dust

Occupational exposure limits Philippines

Product/substance	Exposure limit values
Senzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	ACGIH TLV (United States). TWA: 3 mg/m³ Form: Respirable dust TWA: 10 mg/m³ Form: Total dust

Advisory OEL

: No known significant effects or critical hazards.

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of revision : 2023/03/07 Singapore ENGLISH Version : 1.01 4/13



SDS #: 082435

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates

this is necessary. Hydrocarbon-proof gloves

Fluorinated rubber nitrile rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Sased on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

Appearance

Physical state : Liquid. [limpid]

Color : Brown.

Odor : Characteristic.
Odor threshold : Not available.
pH : Not applicable.

Pour point : 30° C (-22°F)

Boiling point : ▶316°C (>600.8°F) [EN ISO 3405]

Flash point : Open cup: 238°C (460.4°F) [Cleveland Open Cup (COC)]

Evaporation rate : Not available.

Flammability (solid, gas) : Mot applicable.

Lower and upper explosive (flammable) limits : ✓ Upper: 7%

Vapor pressure : ₹0.013 kPa (<0.1 mm Hg) [room temperature] [ASTM D 5191]

Not applicable. [50°C]

Vapor density : ▶2 [Air = 1]

Relative density : 1.099 [ISO 12185]

Density : 1.099 g/cm³ [15°C] [ISO 12185]

Solubility(ies) :

Date of revision : 2023/03/07 Singapore ENGLISH Version : 1.01 5/13



TotalEnergies SDS#: 082435

Media	Result
water	Easily soluble

Yes. Miscible with water : 0.868 g/l Solubility in water : Not applicable.

Partition coefficient: n-

octanol/water

Auto-ignition temperature Decomposition temperature : Not applicable.

: >238°C (>460.4°F) [ASTM E 659]

Viscosity

: Kinematic (40°C (104°F)): 414 mm²/s (414 cSt) [ISO 3104]

Flow time (ISO 2431)

Particle characteristics

: Not available.

Median particle size

: Not applicable.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see Section 7).

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: carbon monoxide carbon dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans

SADT : Not available.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
Senzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50 Oral	Rat	>5000 mg/kg	-	-
2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy] -2-oxoethyl]thio]-7-oxo- 8-oxa-3,5-dithia- 4-phosphatetradecanoate 4-oxide	LC50 Inhalation Dusts and mists	Rat	5.1 mg/l	4 hours	-

Date of revision **ENGLISH** : 2023/03/07 Version: 1.01 Singapore



TotalEnergies SDS #: 082435

reaction mass of: triphenylthiophosphate and tertiary butylated phenyl	LD50 Dermal LD50 Oral LD50 Dermal	Rabbit Rat Rat - Male, Female	2500 mg/kg 3313 mg/kg >2000 mg/kg	- - -	- - OECD 402
derivatives	LD50 Oral	Rat - Male, Female	>2000 mg/kg	-	EU B.1 Acute Toxicity (Oral)
N-methyl-N-[C18- (unsaturated)alkanoyl] glycine	LC50 Inhalation Dusts and mists	Rat - Male	1.8 mg/l	4 hours	- -
(Z)-octadec-9-enylamine	LD50 Oral LD50 Dermal	Rat Rat	>5000 mg/kg >2000 mg/kg	-	OECD 402 Acute Dermal Toxicity
	LD50 Oral	Rat	1689 mg/kg	-	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/substance	Result	Species	Score	Exposure	Test
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	Eyes - Iris lesion	Rabbit	0	-	EU EU Method B.5
donvatives	Skin - Edema	Rabbit	0	4 hours	EU B.4 Acute Toxicity: Dermal Irritation/ corrosion
(Z)-octadec-9-enylamine	Eyes - Severe irritant	Rabbit	-	-	OECD 405 Acute Eye Irritation/ Corrosion
	Skin - Edema	Rabbit	4	4 hours	OECD 404 Acute Dermal Irritation/ Corrosion
	Skin - Erythema/Eschar	Rabbit	4	4 hours	OECD 404 Acute Dermal Irritation/ Corrosion

Skin

: Based on available data, the classification criteria are not met.

Eyes

: Based on available data, the classification criteria are not met.

Respiratory

: Based on available data, the classification criteria are not met.

Sensitization

Product/substance	Route of exposure	Species	Result
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	skin	Guinea pig	Not sensitizing

Skin: Based on available data, the classification criteria are not met.

Date of revision : 2023/03/07 Singapore ENGLISH Version : 1.01 7/13



SDS #: 082435

Respiratory

: Based on available data, the classification criteria are not met.

Mutagenicity

Product/substance	Test	Experiment	Result
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	OECD 471	Experiment: In vitro Subject: Bacteria	Negative
(Z)-octadec-9-enylamine	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal Cell: Somatic	Negative
	OECD 473 <i>In vitro</i> Mammalian Chromosomal Aberration Test	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 475 Mammalian Bone Marrow Chromosomal Aberration Test	Experiment: In vivo Subject: Mammalian-Animal	Negative

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Reproductive toxicity

	Maternal toxicity	•	Development toxin	Species	Dose	Exposure
(ℤ)-octadec-9-enylamine	-	Negative	Negative	Rat	Oral	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Teratogenicity

Product/substance	Result	Species	Dose	Exposure
(ℤ)-octadec-9-enylamine	Negative - Oral	Rabbit	-	-
	Negative - Oral	Rat	-	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Name	• •	Route of exposure	Target organs
₹Z)-octadec-9-enylamine	Category 3		Respiratory tract irritation

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
(ℤ)-octadec-9-enylamine	Category 2		gastrointestinal tract, immune system, liver

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Aspiration hazard

Date of revision : 2023/03/07 Singapore ENGLISH Version :1.01 8/13



TotalEnergies sps #: 082435

Name	Result
(Z)-octadec-9-enylamine	ASPIRATION HAZARD - Category 1

Conclusion/Summary: Based on available data, the classification criteria are not met.

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate :

effects

: Not available.

Potential delayed effects : 1

: Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects: Not available.

Potential chronic health effects

Product/substance	Result	Species	Dose	Exposure
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	Sub-chronic NOAEL Oral	Rat - Male, Female	50 mg/kg	13 weeks; 7 days per week
(Z)-octadec-9-enylamine	Sub-acute NOAEL Oral	Rat	3.25 mg/kg	-

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Date of revision : 2023/03/07 Singapore ENGLISH Version : 1.01 9/13



SDS #: 082435

Product/substance	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Zethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-7-oxo-8-oxa-3,5-dithia-4-phosphatetradecanoate 4-oxide	3313	2500	N/A	N/A	5.1
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine (Z)-octadec-9-enylamine	N/A 1689	N/A N/A		N/A N/A	1.8 5.1

Other information

Not available.

Section 12. Ecological information

Toxicity

Product/substance	Result	Species	Exposure	Test
2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl] thio]-7-oxo-8-oxa-3,5-dithia- 4-phosphatetradecanoate 4-oxide	Acute EC50 3.1 mg/l	Algae	72 hours	-
	Acute EC50 12.5 mg/l	Daphnia - Daphnia magna	48 hours	-
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	Acute LC50 4.3 mg/l Acute EC50 >100 mg/l	Fish Algae - Scenedesmus subspicatu	96 hours 72 hours	OECD 201
	Acute EC50 >100 mg/l Chronic NOEC 5.5 mg/l	Daphnia - Daphnia magna Daphnia - Daphnia magna	48 hours 21 days	OECD 202 OECD 211
N-methyl-N-[C18- (unsaturated)alkanoyl]glycine	Acute LC50 9.3 mg/l	Fish - Leuciscus idus	96 hours	-
, , , , , , , , , , , , , , , , , , , ,	Acute NOEC 0.91 mg/l	Algae - Desmodesmus subspicatus	72 hours	201
(Z)-octadec-9-enylamine	Acute EC50 0.38 mg/l	Algae - Desmodesmus subspicatus	72 hours	OECD 201
	Acute EC50 0.011 mg/l	Daphnia - Daphnia magna	48 hours	OECD 202
	Acute NOEC 0.15 mg/l	Algae - Desmodesmus subspicatus	72 hours	OECD 201
	Acute NOEC 0.01 mg/l	Algae - Selenastrum capricornutum	96 hours	OECD 201
	Chronic NOEC 0.013 mg/l	Daphnia - Daphnia magna	21 days	OECD 211

Persistence/degradability

Product/substance	Aquatic half-life	Photolysis	Biodegradability
Penzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl] thio]-7-oxo-8-oxa-3,5-dithia-	-	-	Not readily Not readily
4-phosphatetradecanoate 4-oxide N-methyl-N-[C18-	-	-	Readily

Date of revision : 2023/03/07 Singapore ENGLISH Version : 1.01 10/13



TotalEnergies sps #: 082435

(unsaturated)alkanoyl]glycine			
(Z)-octadec-9-enylamine	-	-	Not readily

Bioaccumulative potential

Product/substance	LogK _{ow}	BCF	Potential
Senzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	5.1	1730	high
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	4.8 to 8.8	842 to 2194	high

Mobility in soil

Soil/water partition coefficient (K_{oc})

: Not available.

Mobility in soil

: Given its physical and chemical characteristics, the product generally shows low soil mobility Loss by evaporation is limited Soluble in water

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	UN	IMDG	ICAO/IATA	ADR/RID	ADN
UN/ID No	Not regulated.				
UN proper shipping name	-	-	-	-	-
Transport hazard class (es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
ļ	<u> </u>			+	<u> </u>

Date of revision : 2023/03/07 Singapore ENGLISH Version :1.01 11/13



SDS#: 082435

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

Section 15. Regulatory information

Singapore - hazardous chemicals under government control

None.

National regulations

This Safety Data Sheet (SDS) has been prepared according to Singapore Standard SS 586 on "Specification for Hazard Communication for Hazardous Chemicals and Dangerous Goods"

Workplace Safety and Health (General Provision) Regulations

Philippines

National regulations

This Safety Data Sheet (SDS) has been prepared according to EMB Memorandum Circular on "Guidance Manual for Department Administrative Order 2015-09, Rules and Procedures for the Implementation of GHS in Preparation of SDS and Labelling Requirements of Toxic Chemical Substances"

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Japan inventory

Australia inventory (AIIC) : All components are listed, exempted, or notified.

Canada inventory (DSL/NDSL) : All components are listed or exempted.

: All components are listed or exempted. China inventory (IECSC)

: All components are listed or exempted. **Europe inventory (EC)**

: Japan inventory (CSCL): At least one component is not

listed.

Japan inventory (ISHL): Not determined.

New Zealand Inventory of Chemicals (NZIoC) : All components are listed or exempted.

Philippines inventory (PICCS) : All components are listed or exempted.

: All components are listed or exempted. Korea inventory (KECI)

Taiwan Chemical Substances Inventory (TCSI) : All components are listed or exempted.

: Not determined. Thailand inventory

Turkey inventory : Not determined.

United States inventory (TSCA 8b) : All components are listed or exempted.

Date of revision : 2023/03/07 **ENGLISH** Version : 1.01 12/13 Singapore



SDS #: 082435

Vietnam inventory

: Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

Section 16. Other information

History

Date of revision : 2023/03/07 previous revision date : 2021/03/29

Version : 1.01

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

Additional details on the supplier of the product

Total (Philippines) Corporation
7th Floor, 11th Corporate Center
11th Avenue, corner Triangle Drive,
North Bonifacio, Bonifacio Global
City
1634 Taguig City
Philippines
Tel: +63 2 88490888
Fax: +63 2 88490889

References : Not available.

▼ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of revision : 2023/03/07 Singapore ENGLISH Version : 1.01 13/13